

82952

b1

MEMORANDUM FOR RECORD

16 September 1954

SUBJECT: Meeting of Upper Atmosphere Rocket Research Panel

1. At the invitation of Air Force Scientific Advisory Board, I attended a meeting of the Upper Atmosphere Rocket Research Panel on 8 September at the Naval Research Laboratory, Anacostia. The two agenda items of primary concern were 1) Higher Altitude and Satellite Vehicles, 2) International Geophysical Year, and the logistics therefor.

2. This panel was formed in 1943 by representatives of various organizations which were concerned with upper atmosphere research through rocketry. It is chaired by Dr. James A. Van Allen who is Chairman of the Department of Physics, State University of Iowa. The panel has representation from Aberdeen Proving Grounds, University of Michigan, Army Signal Laboratory, General Electric Company, Naval Research Laboratory, Air Force Cambridge Research Center, California Institute of Technology, and Harvard Observatory. It has no official connection with any department of Defense organization but is informally supported by the Office of Naval Research. In connection with the forthcoming International Geophysical Year, it has been assigned the function of developing the United States program for upper atmosphere research through the use of high altitude rockets.

3. At the 8 September meeting, there were in addition to the panel itself, representatives from the Chief of Ordnance, United States Army, the Holston Arsenal, the Rand Corporation, the Office of Naval Research, Aerophysics Development Corporation, Air Force SPT, HST, National Science Foundation, etc.

4. Dr. Van Allen opened the discussion of the first agenda item - Higher Altitude and Satellite Vehicles - by a discussion of past upper atmosphere research with rockets. He cited the extensive use of V-2s which could carry 2,000 pounds payload to a 100 mile altitude but the supply of which has now been exhausted. He mentioned the WAC-Corporal which was not used as a single stage vehicle, primarily because it could carry only 25 pounds to an altitude of 100 miles. The WAC-Corporal was however, used as the second stage in combination with the V-2 and reached an altitude of 200 miles. Since exhaustion of the V-2 supply, the other rockets have been developed and used as civilian research instruments. These are the Viking which in its present version can carry 400 pounds payload to 135 miles

214-A
SEP 29 1954
OCHIKI/RE

SEP 17 1954
6-2

Approved for Release

2/2010

Copied From Nearly
Illegible Original

b.
2

altitude and in its forthcoming modification will carry 500 pounds to 125 miles altitude. The second rocket is the Aerobee which can carry 100 pounds payload to 65 miles altitude. In addition to these two, there is also the "Blimp" which is a system of launching a manned rocket from a "Blimp" balloon. The launch is made at a balloon altitude of approximately 100,000 feet and the rocket carries 30 pounds of instrumentation to an altitude of 60 miles. Dr. Van Allen concluded his presentation by stating that, from here on, civilian upper atmosphere rocket research will probably be dependent, due to lack of civilian funds, upon the military rockets being developed now by the Department of Defense. He then introduced Dr. Fred Whipple of the Harvard Observatory for a discussion of Earth Satellite Vehicles (ESV).

5. Dr. Whipple stated that the interests of civilian research and of the Department of Defense in ESV are synonymous. He pointed out the main scientific gains which could be made through the ESV which have application both to civilian science and to defense. These include astronomy, astronomy, solar-terrestrial relations, far ultraviolet and X-ray research, etc. He described the ESV sequence as being in three phases as follows:

(1) The placing in orbit of an observable object (uninstrumented) which could be seen either optically or by radar.

(2) The placing in orbit of an instrumented vehicle, "an unmanned physical laboratory". This phase will be a progressive development starting with a very small vehicle similar to the Pioneer 3, which will carry telemetering equipment. Larger capacity will be achieved as bigger and more reliable power plants are developed. These latter will probably be nuclear or solar energy plants. Instrumentation starting with simple telemetering will progress through more complicated stages until television and finally a telescope is included. The last stage in this phase will be a remote controlled vehicle.


(3) The final phase of ESV will be the putting in orbit of a manned satellite vehicle.

6. Dr. Whipple emphasized that the placing of a slug in orbit was in itself the first step in the process. He stated that such a vehicle even without instrumentation could produce useful scientific results such as air density data and relative positions on the earth. The main problem in connection with a slug (Phase 1) is that of observation from the earth, which will require much study. This problem will be simplified if the ESV is in either an equatorial or a polar orbit. In regard to

the unmanned instrumented vehicle (Phase 2), he said that the main problems will be development of small reliable power plants; television, the technical design of which is already well along; orientation of the vehicle itself and of the instrumentation carried; and constant reduction of weight of the equipment to be carried. He stated that the altitude at which the vehicle should orbit will depend upon the purpose envisaged. Theoretically, an altitude of 1,000 miles at a speed of 5 miles per second would be ideal. This would provide a 2-hour orbit.

7. Mr. C. W. Brown, Major of the Air Branch, CFB, made the next presentation, concerning high altitude vehicle projects with which CFB is concerned. CFB has three main projects in this field, the first of which is the development of a manned conventional aircraft to operate at a maximum altitude of 300 miles. Two designs are presently under consideration - the Douglas 553 and the Douglas 554. The former is designed to have an altitude of 700,000 feet. (Note: this field of study is covered in report S-07-1266(33), "High Altitude and High Speed Study" by Douglas Aircraft Corporation. CONFIDENTIAL). The second CFB project is development of a manned high altitude balloon to operate at 100 to 200,000 feet. The system would be based on the "Skyhook" polyethylene balloon carrying a gondola equipped to sustain one or two men. The third CFB project is for manned space flight and the study of this is being conducted at the Aero Jet Laboratory. The first phase of this latter project is called S103, the purpose of which is to place an TV in orbit at an altitude of 200 miles in order to measure meteorological and atmospheric data at that level as the first step toward higher altitude work. Project S103 has been tentatively approved by the Navy and CFB is going ahead with it in cooperation with the Army. It is now also being coordinated with the Air Force at a very high level. The project calls for the use of the Army Redstone missile (see para. 8 below) as the first stage with the Loki cluster (see para. 9 below) providing the second and third stages. Under Aero Jet leadership, four subsidiary studies are planned to be undertaken as follows:

- (1) A Stability Study to determine the size and weight of the vehicle required at an altitude of 200 miles. It is hoped that Mr. Fred Whipple will be the leader of this.
- (2) An Orbital Study to determine the power required, the guidance system, etc. It is hoped that Mr. S. Fred Singer of the University of Maryland will lead this.
- (3) A Re-entry-trajectory Study to determine the final design and the staging requirements.



11. Mr. [redacted] of the National Science Foundation gave a brief account of the situation of the funds for upper atmosphere rocket research. One million, three-hundred thousand dollars is presently available and about 70% of this will be transferred immediately to ONR for procurement and accounting purposes. The balance of the rocket project funds - 250,000 - will become available next year.


12. Following adjournment of the panel meeting, I spent a couple of hours with Mr. Van Allen, who had served under me for a time during World War II. Van Allen was one of the key figures in the development of the V-2 fleet under Admiral Parsons and was one of the officers assigned to introduce the fleet to the Pacific Fleet. In our conversation, I mentioned the difficulty that apparently would be encountered in the ONR program, of designing scientific instruments which could stand the high G's encountered in most of the ballistic rockets, particularly with solid propellant. I mentioned specifically the 600 G's encountered in stage two of the Redstone rocket. Mr. Van Allen said that there should be no such difficulty. He pointed out that the V-2 fleet contained five miniature radio tubes, a battery and a transmitter, and that this instrument, with practically no failures, withstood 20,000 G's when fired from the usual launch device. He pointed out also that in the 1940's a rocket which has been in use for some time, the rocket motor at various 30 pounds of instrumentation for cosmic ray research and telemetry and with tanks of G's. He said that he saw no difficulty whatsoever in designing instrumentation for ballistic rockets which could easily withstand 1,000 G's. In regard to the future program, he agreed thoroughly with Mr. [redacted] report, that the immediate first step was to launch a ship. He felt that if the United States government priority could be established, with guidance and control by an outside high level scientific group, it would almost certainly be possible to put a ship in orbit by the time of the 1950 and possibly even put up an instrumented vehicle.

SEC'D 11 1953

P. G. Strick
P. G. STRICK

CONFIDENTIAL

- Distribution:
- Orig 1 - ONR Collection
 - 1 - Mr. [redacted]
 - 1 - [redacted]
 - 1 - [redacted]
 - 1 - [redacted]



Copied From Nearly Illegible Original